

# 2D Wire Bending Machine with Servo Motor AC380V/50HZ 30N Max Feeding Force

DONGGUANG,CHINA JINGHONGXIANG

J2-8mm

1

## **Basic Information**

- Place of Origin:
- Brand Name:
- Model Number:
- Minimum Order
  Quantity:
- Packaging Details: Export secure packaging



### **Product Specification**

- Processing Capacity: 2D
- Control System: PLC
- Max Feeding Stroke: 50mm
- Control System: Servo Motor, Planetary Reducer

180°


Barbecue Rail Network

- Product Name: 2D Wire Bending Machine
- Application:
- Max Bending Angle:
- Max Bending Speed: 60mm/s



# 2D Wire Bending Machine with Servo Motor AC380V/50HZ 30N Max Feeding ForceProduct Description:

2D Wire Bending Machine is a kind of plane bending machine for wire forming, which is suitable for processing 2D workpieces. It is equipped with a PLC control system and a servo motor with a maximum feeding force of 30N. The maximum bending radius is as small as 20mm, and the power supply is AC380V/50HZ. The air pressure required by the machine is between 0.5-0.8MPa. It has the advantages of high speed, high efficiency, low noise and stable performance. This 2D Wire Bending Machine is widely used in the production of metal wire baskets and other products.





#### Features:

#### **Technical Parameters:**

Product Name	2D Wire Bending Machine
Processing Capacity	2D
Warranty	1 Year
Air Pressure	0.5-0.8MPa
Application	Barbecue Rail Network
Power Supply	AC380V/50HZ
Max Feeding Speed	70mm/s
Control System	PLC, Servo Motor, Planetary Reducer
Max Feeding Force	30N

#### **Applications:**

JINGHONGXIANG 2D Wire Bending Machine (model J2-8mm) is designed and manufactured in DONGGUANG, China to provide reliable wire bending services with maximum loading force of 30N and maximum bending radius of 20mm. This wire bending machine is powered by AC380V/50HZ and can achieve maximum feeding speed of 70mm/s. It is suitable for plane bending and wire bending applications. With JINGHONGXIANG's 2D Wire Bending Machine, you can easily complete your wire bending tasks with high accuracy and efficiency.

#### **Customization:**

Customized 2D Wire Bending Machine from JINGHONGXIANG

Brand Name: JINGHONGXIANG Model Number: J2-8mm Place of Origin: DONGGUANG,CHINA Max Bending Angle: 180° Application: Barbecue Rail Network Control System: Servo Motor, Planetary Reducer Control System: PLC Max Bending Radius: 20mm Why Chaose JINGHONGXIANG 2D Wire Bending Ma

Why Choose JINGHONGXIANG 2D Wire Bending Machine?

JINGHONGXIANG 2D Wire Bending Machine is a basket bending machine, wire bending machine which is perfect for making barbecue rail network. With its servo motor, planetary reducer, PLC control system, it can achieve a max bending angle of 180° and a max bending radius of 20mm.

Choose JINGHONGXIANG 2D Wire Bending Machine for high quality and competitive wire bending machine price.

#### Support and Services:

Technical Support and Service for 2D Wire Bending Machine

We provide comprehensive technical support and service for our 2D Wire Bending Machine. Our customer service team is available 24/7 to answer your questions and provide assistance. Installation and Training

We offer installation and training services for our 2D Wire Bending Machine. Our experienced team of technicians will help you get your machine up and running quickly and answer any questions you may have. Maintenance and Repair

We provide scheduled maintenance and repair services for our 2D Wire Bending Machine. Our technicians can troubleshoot any problems you may be having and provide timely repairs. Parts and Supplies

We offer a wide selection of parts and supplies for our 2D Wire Bending Machine. Our parts and supplies are designed to help you keep your machine running smoothly and efficiently.



